

Signature Goals, Inc.



*Quick Set-Up
Heavy Duty
Canopies*



SERIES 43 Quick Set-Up Canopies

This is hands-down the best quick set-up canopy on the market. The frame is made of fully anodized aluminum (extremely smooth and corrosion resistant) and is 43mm thick, which makes it the thickest frame in the industry. Another key differentiating point is the Series 43 features all-aluminum connecting elements, which gives the canopy a certain unmatched strength. The Series 43 also carries a 5 year full warranty: if anything happens that shouldn't, we will fix it in no time.

Perfectly Protected. The newly developed rubber covers of the support structure protect the roof during transport, storage or use.

Material. We use polyester materials specially designed for our products. Every delivery is inspected by an external authority to guarantee quality.

SEAL. The valances come with Adjustable tensioners to ensure that the tent roof is properly stretched. A perfectly stretched roof ensures that no creases appear on your promotional material and also maximizes drainage.



CORNERS. The tent roof corners and any points of contact with the aluminum frame are reinforced with PVC components.


Hook and Loop Fastener. The extra-wide hook-and-loop fastening strips on the inner side of the roof enable the side walls to be attached and removed in seconds. The color of the hook-and-loop fastening strip matches the tent color.

Frame. All parts of the aluminum frame are tagged with a clearly visible part number. This makes replacing any worn parts much easier. Simply provide the number printed on the defective component and you will quickly receive a replacement.

Tensioner. A patented system of plastic tensioners is used to ensure that the roof is properly stretched. The advantages are that the fabric is evenly stretched and the printed surfaces are smooth and sharp.

Plastic Slides. The ends of the telescopic legs are protected with plastic. The advantages are that there is less friction and the legs of the tent do not get

Rounded Off . The flanges on the fasteners are rounded off to prevent scratching when opening and closing the tent frame.




Interconnection. The connecting components are made of 100% aluminum, strengthening the entire system. The components are attached to the scissor-like profiles by a patented

Pushbutton. The stability and safety of our tent frame is guaranteed by our latch release system. The system facilitates opening and closing the tent. Gentle pressure releases the corner tensioner, allowing the frame to be closed safely.

Securing the roof. The patented roof securing hardware fulfills two purposes: it connects the roof to the aluminum frame and ensures that the canopy is situated correctly when opened.



You can actually do pull-ups from the center of the frame, which, again, is not possible on any other frame in the industry.



SET-UP - Setting up the canopy is easy, fast and does not require any tools. We supply a compact package. Inside is the entire canopy, well stored, carefully folded, collapsed and protected. The support structure opens when the tent is unpacked, and the pre-assembled roof is automatically stretched. The poles are then adjusted to the desired height. Within **ONE MINUTE** your Signature Goal Quick Set-up Canopy is ready for use.





- **BASE PLATES** - Signature Goals offers a system of portable galvanized, corrosion proof steel plates for maximum stability.
- **STACKABLE** - The base plates can be stacked to increase stability even more.
- **SLIP RESISTANT** - Rubber pads on the bottom prevent the plates from slipping (7 and 14 kg). **WEIGHT.** Available in small (7 kg), medium (14 kg) or large (28 kg, 2 pieces).
- **MODULAR SYSTEM** - When several canopies are connected small and medium plates can stabilize two, large plates even four canopies.
- **SECURING STRAP** - A high-grade professional securing strap with an adjustable clip is used to secure the canopies and maximize stability. Various types of steel canopy pegs are included in the standard package.



- **GUTTER** - Ideal for inclement weather. The gutter is mounted between two canopies using hook and-loop fasteners. The water is drained to a location away from the covered canopy area. A version that can be used between a wall and the canopy is also available.



- **LIGHTING.** The lighting system consists of three 150-Watt floodlights. It can quickly and easily be mounted on the center post.



- **CONNECTING CLAMPS.** - The special clamp joins and stabilizes two or more tents, even if the profile sizes do not match.



HTR7 - Mid-Wave Infrared Heater - can be mounted via a bracket inside any quick set-up canopy or on a 72-inch individual stand

- **HEATER** - This is the latest in heating technology. These heaters use mid-wave infrared, which delivers four times the amount of infrared waves when compared to traditional, short-wave infrared heaters. This directly heats the object allowing you to achieve the maximum temperature in under thirty seconds! In addition, these heaters are environmentally friendly since they don't emit any gases or pollutants and convert 94% of energy into heat. Less waste with the 12,000 hour filaments (that's more than double the life of most infrared filaments.)
- Each model has 5 heat settings and a peak output of 1,500 watts. With the Manual Thermostat model the temperature is controlled by a dial on the end of the unit. Upgrade to the Remote Controlled version to control the temperature from across the room and also take advantage of its sleep function. Coverage is 193 square feet indoors and 129 outside. Both models can be mounted on the optional, portable Safety Shut-Off Heater Stand, which automatically cuts power if the heater is accidentally knocked over.
- The Manual Thermostat version measures 28 3/4" wide, 7 1/2" tall and 3 1/2" deep with an 8' grounded UL Listed power cord. The Remote Controlled version has all the same dimensions but is 2 1/4" wider at 31" wide. The height of the stand measures 72" from the floor to the base of the heater.





- Custom canopy tops with digital print are available and can be easily customized with logos and print



CANOPY SIZE	WEIGHT	HEAD CLEARANCE	PEAK HEIGHT
SERIES 43 Canopy Heavy Duty Use (Daily) 5-YEAR FULL WARRANTY			
5' x 5'	56 lbs	6' 7"	8' 2"
5' x 10'	67 lbs	6' 7"	10' 2"
10' x 10'	83 lbs	6' 7"	10' 7"
10' x 15'	99 lbs	6' 7"	10' 7"
10' x 20'	133 lbs	6' 7"	10' 7"
13' x 13'	102 lbs	7' 1"	12' 7"
13' x 20'	122 lbs	7' 1"	12' 7"
13' x 26'	159 lbs	7' 1"	12' 7"
SERIES 30 CANOPY - Heavy Duty Use (Periodic/Daily) 2-YEAR LIMITED WARRANTY			
10' x 10'	55 lbs	6' 7"	10' 7"
10' x 15'	70 lbs	6' 7"	10' 7"
10' x 20'	92 lbs	6' 7"	10' 7"

SERIES 30 Quick Set-Up Canopies

The Series 30 is still much better than the readily available cheaper quick set-up canopies on the market, but this comes at a much more affordable price than the Series 43 for periodic (as opposed to daily) users. It is a better quick set-up canopy with better printing (a 4-color process decal as opposed to a 1 or 2-color screen print) than anything else on the market, but not quite the Mercedes Benz that is the Series 43. The Series 30 features a 30 mm profile and uses some plastic and nylon in the connecting elements. The Series 30 features a 2 year limited warranty. The decision between the two really comes down to how much quality you are willing to pay for and for multi-use per week it is the affordable option quick set-up canopy over the Series 43.

Digital Customization of the canopy valance or peaks:

- 10' Peak Print
- 13' & 15' Peak Print
- 20' & 26' Peak Print

- 10' Valance Print
- 13' & 15' Valance Print
- 20' & 26' Valance Print