

SIGNS AND SYMPTOMS

These signs and symptoms may indicate that a concussion has occurred.

SIGNS	OBSE	RVED
BY COAC	HING	STAFF

Appears dazed or stunned

Is confused about assignment or position

Forgets sports plays

Is unsure of game, score, or opponent

Moves clumsily

Answers questions slowly

Loses consciousness (even briefly)

Shows behavior or personality changes

Can't recall events prior to hit or fall

Can't recall events after hit or fall

SYMPTOMS REPORTED BY ATHLETE

Headache or "pressure" in head

Nausea or vomiting

Balance problems or dizziness

Double or blurry vision

Sensitivity to light

Sensitivity to noise

Feeling sluggish, hazy, foggy, or groggy

Concentration or memory problems

Confusion

Does not "feel right"

ACTION PLAN

If you suspect that a player has a concussion, you should take the following steps:

- 1. Remove athlete from play.
- Ensure athlete is evaluated by an appropriate health care professional.
 Do not try to judge the seriousness of the injury yourself.
- Inform athlete's parents or guardians about the known or possible concussion and give them the fact sheet on concussion.
- Allow athlete to return to play only with permission from an appropriate health care professional.

IMPORTANT PHONE NUMBERS

FILL IN THE NAME AND NUMBER OF YOUR LOCAL HOSPITAL(S) BELOW:

Hospital Name:

Hospital Phone: _

Hospital Name:

Hospital Phone:

For immediate attention, CALL 911

If you think your athlete has sustained a concussion... take him/her out of play, and seek the advice of a health care professional experienced in evaluating for concussion.

For more information and to order additional materials free-of-charge, visit: www.cdc.gov/ConcussionInYouthSports

